

Asotin County Public Utility District 1500 Scenic Way, Clarkston WA 99403

Dated: December 19, 2023

Project: 2023 Sewer Main Replacement Project

From: Craig Riehle, Director of Operations

ADDENDA NO. 1

The following changes, additions, and/or deletions are hereby made a part of the Bidding Requirements and Contract Documents. Bidders shall acknowledge receipt of this addenda in the Bid Form.

SECTION 00300 - BID PROPOSAL

DELETE AND REPLACED with attached revised Bid Proposal Section (Attached Section)

- Line Item C7 through C13
 - o Corrected bid item numbering.
- Line Item C7 CIPP Lateral Reinstatement QTY 117
 - o Adjusted quantity Correct Qty is 117

SECTION 01201 – MEASUREMENT AND PAYMENT

DELETE AND REPLACED with attached revised Measurement and Payment Section (Attached Section)

- Line Item No. C8 through C13.
 - Corrected item numbering

SECTION 00050 – INVITATION TO BID

REPLACE Page 00050-2 with Revised page 00050-2 (Attached Page)

- A **PRE-BID MEETING** for this project will be held at the Asotin County Public Utility District Office at 1500 Scenic Way, Clarkston, Washington on the 4th of January 2024 at 10 AM, local time.
 - o Pre-Bid Meeting is at 10 AM, local time.

W221198WA.04 Page 1 of 2

ATTACHMENTS

- Revised SECTION 00300 BID PROPOSAL (Entire Section)
- Revised SECTION 01201 MEASUREMENT AND PAYMENT (Entire Section)
- Revised SECTION 00050-2 INVITATION TO BID (Page 00050-2)

Craig Riehle, Director of Operations

W221198WA.04 Page **2** of **2**

SECTION 00300 - BID PROPOSAL FOR 2023 SEWER MAIN REPLACEMENT PROJECT FOR ASOTIN COUNTY PUBLIC UTILITY DISTRICT

THIS BID IS SUBMITTED TO:

Asotin County Public Utility District Office at 1500 Scenic Way, Clarkston, Washington, 99403.

- 1. The undersigned BIDDER proposes and agrees, if this Bid is accepted, to enter into an agreement with the OWNER in the form included in the Bidding Documents to perform and furnish all Work as specified or indicated in the Bidding Documents for the Bid Price and within the Bid Times indicated in this Bid and in accordance with the other terms and conditions of the Bidding Documents.
- 2. BIDDER accepts all of the terms and conditions of the Advertisement or Invitation to Bid and Instructions to BIDDERS, including without limitations those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for forty-five (45) days after the day of Bid opening. BIDDER will sign and deliver the required number of counterparts of the Agreement with the Bonds and other documents required by the Bidding Requirements within ten (10) days after the date of OWNER's Notice of Award.
- 3. In submitting this Bid, BIDDER represents, as more fully set forth in the Agreement, that:

(a)		eceipt of all which is h	ed the Bidding Documents and the ereby acknowledged: (List
	Addenda No.	through	

- (b) BIDDER has visited the site, conducted a thorough visual examination of the Site and adjacent areas, and become familiar with the general, local and site conditions that may affect cost, progress, performance and furnishing of the Work;
- (c) BIDDER is familiar with all federal, state and local Laws and Regulations that may affect cost, progress, performance and furnishing of the Work.

- (d) BIDDER has carefully studied all reports of explorations and tests of subsurface conditions at or contiguous to the site and all drawings of physical conditions in or relating to existing surface or subsurface structures at or contiguous to the site (except Underground Facilities) which have been identified in the Supplementary General Conditions as provided in paragraph 5.03.A of the General Conditions. BIDDER acknowledges that such reports and drawings are not Contract Documents and may not be complete for BIDDER'S purposes. BIDDER acknowledges that OWNER and ENGINEER do not assume responsibility for the accuracy or completeness of information and data shown or indicated in the Contract Documents with respect to Underground Facilities at or contiguous to the site.
- (e) BIDDER has obtained and carefully studied (or assumes responsibility for having done so) all additional or supplementary examinations, investigations, explorations, tests, studies and data concerning conditions (surface, subsurface and Underground Facilities) at or contiguous to the Site which may affect cost, progress, or performance of the Work or which relate to any aspect of the means, methods, techniques, sequences, and procedures of construction to be employed by BIDDER, including applying the specific means, methods, techniques, sequences, and procedures of construction expressly required by the Bidding Documents to be employed by BIDDER, and safety precautions and programs incident thereto.
- (f) BIDDER has carefully studied the reports and drawings relating to Hazardous Environmental Conditions, if any, at or adjacent to the Site that have been identified in the Supplementary Conditions, with respect to Technical Data in such reports and drawings.
- (g) BIDDER does not consider that any additional examinations, investigations, explorations, tests, studies or data are necessary for the determination of this Bid for performance and furnishing of the Work in accordance with the times, price and other terms and conditions of the Contract Documents.
- (h) BIDDER is aware of the general nature of Work to be performed by OWNER and others at the site that relates to Work for which this Bid is submitted as indicated in the Bidding Documents.
- (i) BIDDER has correlated the information known to BIDDER, information and observations obtained from visits to the site, reports and drawings identified in the Contract Documents and all additional examinations, investigations, explorations, tests, studies and data with the Contract Documents.
- (j) BIDDER has given OWNER written notice of all conflicts, errors, ambiguities or discrepancies that BIDDER has discovered in the Bidding Documents and the written resolution thereof by OWNER is acceptable to BIDDER, and the

Bid Proposal W221198WA.04 00300 - 2

- Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performing and furnishing the Work for which this Bid is submitted.
- (k) This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; BIDDER has not directly or indirectly induced or solicited any other BIDDER to submit a false or sham Bid; BIDDER has not solicited or induced any person, firm or corporation to refrain from bidding; and BIDDER has not sought by collusion to obtain for itself any advantage over any other BIDDER or over OWNER.
- (l) BIDDER agrees to be bound by and will comply with and further agrees that the provisions required by RCW 39.12 and 40 U.S.C. 276(a) pertaining to prevailing wage rates, as applicable, shall be included in this contract. In addition, the undersigned Bidder hereby certifies that, within the three-year period immediately preceding the bid solicitation date for this Project, the bidder is not a "willful" violator, as defined in RCW 49.48.082, of any provision of chapters 49.46, 49.48, or 49.52 RCW, as determined by a final and binding citation and notice of assessment issued by the Department of Labor and Industries or through a civil judgment entered by a court of limited or general jurisdiction
- (m) BIDDER agrees that if awarded the contract, the BIDDER will commence the Work within ten (10) calendar days after the date of receipt of written Notice to Proceed, and that the BIDDER will complete the Work within the time limits specified in the Agreement.
- (n) The Contract Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performance and furnishing of the Work.
- (o) The submission of this Bid constitutes an incontrovertible representation by BIDDER that without exception the Bid and all prices in the Bid are premised upon performing and furnishing the Work required by the Bidding Documents.
- 4. BIDDER will complete the Work in accordance with the Contract Documents for the following price(s):
 - The BIDDER will provide costs for all schedules listed, and the OWNER will award to the lowest responsive BIDDER based on the sum of all schedules. Schedules will be selected for execution, at the OWNER'S discretion, for a sum equal to the OWNER'S existing budget for the Work (\$2,000,000).

Bid Proposal W221198WA.04 00300 - 3 If additional funds become available, OWNER reserves the right to award additional schedules.

SCHEDULE OF UNIT PRICE WORK FOR 2023 SEWER MAIN REPLACEMENT PROJECT FOR ASOTIN COUNTY PUBLIC UTILITY DISTRICT

BID SCHEDULE

SCHEDULE A - MCCARROLL ST

SCHEDULE A - WCCARROLL SI					
ITEM NO.	ITEM DESCRIPTION	QTY	UNIT	UNIT PRICE BID	BID ITEM TOTAL
	GENE	RAL			
A1	Mobilization, Bonds, Insurance, and Demobilization	1	LS	\$	\$
A2	Erosion and Sediment Control	1	LS	\$	\$
A3	Traffic Control	1	LS	\$	\$
A4	Trench Safety Systems	1	LS	\$	\$
	SEW	ER			
A5	Pavement Marking	1	LS	\$	\$
A6	Monument Removal and Replacement	3	EA	\$	\$
A7	Sewer Bypass Systems	1	LS	\$	\$
A8	4-inch Diam. Sewer Lateral Reconnection, incl. Surface Restoration	82	EA	\$	\$
A9	6-inch Diam. Sewer Lateral Reconnection, incl. Surface Restoration	2	EA	\$	\$
A10	Additional PVC Sewer Lateral Pipe and Fittings, 4-inch Diam., incl. Surface Restoration	40	LF	\$	\$
A11	Additional PVC Sewer Lateral Pipe and Fittings, 6-inch Diam., incl. Surface Restoration	20	LF	\$	\$
A12	PVC Sanitary Sewer Pipe 8 in. Diam., for Open Cut, incl. Surface Restoration	340	LF	\$	\$

ITEM NO.	ITEM DESCRIPTION	QTY	UNIT	UNIT PRICE BID	BID ITEM TOTAL
A13	HDPE Sanitary Sewer Pipe 8 in. Diam., for Pipe Bursting or PVC Sanitary Sewer Pipe 8 in. Diam., for Open Cut, incl. Surface Restoration	2,080	LF	\$	\$
A14	Manhole Abandonment	1	EA	\$	\$
A15	Manhole Removal and Replacement with Standard Manhole, 48 in. Diam.	1	EA	\$	\$
A16	Connect to Existing Manhole	12	EA	\$	\$
A17	Remove Manhole Rungs	6	EA	\$	\$
A18	Pre-Construction Sewer Television Inspection	1	LS	\$	\$
A19	Post-Construction Sewer Television Inspection	1	LS	\$	\$
TOTAL OF EXTENDED ITEM AMOUNTS FOR LUMP SUM AND UNIT PRICE WORK LISTED ABOVE					\$
SALES TAX (@8.2%)					\$
	SCHEDULE A - EXTENDED	TOTAL	L WITH	SALES TAX	\$

SCHEDULE B - LIBBY ST AND UNIVERSITY ST

ITEM NO.	ITEM DESCRIPTION	QTY	UNIT	UNIT PRICE BID	BID ITEM TOTAL
	GENE	RAL			
B1	Mobilization, Bonds, Insurance, and Demobilization	1	LS	\$	\$
B2	Erosion and Sediment Control	1	LS	\$	\$
В3	Traffic Control	1	LS	\$	\$
B4	Trench Safety Systems	1	LS	\$	\$
	SEW	'ER			
B5	Pavement Marking	15	LS	\$	\$
В6	Monument Removal and Replacement	2	EA	\$	\$
B7	Sewer Bypass Systems	1	LS	\$	\$
В8	4-inch Diam. Sewer Lateral Reconnection, incl. Surface Restoration	54	EA	\$	\$

ITEM NO.	ITEM DESCRIPTION	QTY	UNIT	UNIT PRICE BID	BID ITEM TOTAL
В9	Additional PVC Sewer Lateral Pipe and Fittings, 4-inch Diam., incl. Surface Restoration	20	LF	\$	\$
B10	PVC Sanitary Sewer Pipe 8 in. Diam., for Open Cut, incl. Surface Restoration	680	LF	\$	\$
B11	HDPE Sanitary Sewer Pipe 8 in. Diam., for Pipe Bursting or PVC Sanitary Sewer Pipe 8 in. Diam., for Open Cut, incl. Surface Restoration	1,120	LF	\$	\$
B12	Manhole Abandonment	2	EA	\$	\$
B13	Manhole Removal and Replacement with Standard Manhole, 48 in. Diam.	2	EA	\$	\$
B14	Cleanout Removal and Replacement with Standard Manhole, 48 in. Diam.	1	EA	\$	\$
B15	Connect to Existing Manhole	10	EA	\$	\$
B16	Remove Manhole Rungs	5	EA	\$	\$
B17	Pre-Construction Sewer Television Inspection	1	LS	\$	\$
B18	Post-Construction Sewer Television Inspection	1	LS	\$	\$
TOTAL OF EXTENDED ITEM AMOUNTS FOR LUMP SUM AND UNIT PRICE WORK LISTED ABOVE					\$
	\$				
	\$				

SCHEDULE C - 5TH ST AND 6TH ST ALLEY

ITEM NO.	ITEM DESCRIPTION GENE	QTY	UNIT	UNIT PRICE BID	BID ITEM TOTAL
C1	Mobilization, Bonds, Insurance, and Demobilization	1	LS	\$	\$
C2	Erosion and Sediment Control	1	LS	\$	\$
C3	Traffic Control	1	LS	\$	\$
C4	Trench Safety Systems	1	LS	\$	\$

ITEM NO.	ITEM DESCRIPTION	QTY	UNIT	UNIT PRICE BID	BID ITEM TOTAL
	SEW	/ER			
C5	Sewer Bypass Systems	1	LS	\$	\$
C6	CIPP Sewer Rehabilitation, 8 In. Diam.	1300	LF	\$	\$
C7	CIPP Lateral Reinstatement	117	EA	\$	\$
C8	Manhole Abandonment	1	EA	\$	\$
С9	Manhole Removal and Replacement with Standard Manhole, 48 in. Diam.	1	EA	\$	\$
C10	Connect to Existing Manhole	8	EA	\$	\$
C11	Remove Manhole Rungs	5	EA	\$	\$
C12	Pre-Construction Sewer Television Inspection	1	LS	\$	\$
C13	Post-Construction Sewer Television Inspection	1	LS	\$	\$
TOTAL OF EXTENDED ITEM AMOUNTS FOR LUMP SUM AND UNIT PRICE WORK LISTED ABOVE					\$
SALES TAX (@8.2%)					\$
SCHEDULE C - EXTENDED TOTAL WITH SALES TAX					\$

BIDDER acknowledges that:

- 1. each Bid Unit Price includes an amount considered by BIDDER to be adequate to cover Contractor's overhead and profit for each separately identified item, and
- 2. estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all Unit Price Work will be based on actual quantities, determined as provided in the Contract Documents.

TOTAL BID (ALL SCHEDULES	5) - \$	
--------------------------	----------------	--

*Abbreviations

LS – Lump sum

CY – Cubic yards

EA – Each

LB – Pounds

LF – Lineal feet

SY – Square yard

Discrepancies between the multiplication of units of Work and unit prices will be resolved in favor of the unit prices. Discrepancies between the indicated sum of any column of figures and the correct sum thereof will be resolved in favor of the correct sum.

Unit Prices have been computed in accordance with paragraph 13.01 of the General Conditions. BIDDER acknowledges that estimated quantities are not guaranteed and are solely for the purpose of comparison of Bids, and final payment for all Unit Price Bid Items will be based on actual quantities provided, determined as provided in the Contract Documents.

- 5. BIDDER agrees that the Work will be substantially completed and will be completed and ready for final payment in accordance with Paragraph 15.06 of the General Conditions on or before the dates or within the number of calendar days indicated in the Agreement. BIDDER accepts the provisions of the Agreement as to liquidated damages in the event of failure to complete the Work within the times specified in the Agreement.
- 6. The following documents are attached to and made a condition of this Bid:

(a)	Required Bid Security, in the form of	
	in the amount of	which
	is not less than five percent (5%) of the total bid amount.	

7. Previous Experience and References as described in the Invitation to Bid and Instructions to BIDDERS is either included with this bid submission or will be provided within the time frame prescribed in these Contract Documents.

Bid Proposal W221198WA.04 00300 - 9

- 8. BIDDER agrees that a completed First-Tier Subcontractor Disclosure Form is either included with this bid submission or will be provided within the time frame prescribed in these Contract Documents.
- 9. BIDDER certifies that BIDDER will not discriminate against minority, women or emerging small business enterprises in obtaining any subcontracts for this Work.
- 10. Communications concerning this Bid shall be addressed to the address of BIDDER indicated below.

Washington State Contractor License No. _______

Bid Proposal 00300 - 10

If BIDDER is:

I certify (or declare) under penalty of perjury under the laws of the State of Washington that the foregoing is true and correct.

An Individual		
By:		(SEAL)
	(Signature)	
	(Print Individual's Name)	
doing business as:		
Business address:		
Phone No.:		
A Partnership		
Partnership Name:		(SEAL)
By:		
	(Signature of General Partner)	
	(Print General Partner's Name)	
Business address:		
Phone No.:		

A Corporation

Corporation Name:	(SEAL)
State of Incorporation:	
By:(Signature of Person Authorized to Sign)	(SEAL)
(Print Name of Person Authorized to Sign)	
(Title)	
(Corporate Seal)	
Attest:(Signature of Corporate Secretary)	
Business address:	
Phone No.:	
Date of Qualification to do business is:	

A Joint Venture

Joint Venturer Name:		(SEAL)
Ву:		
	(Signature of Joint Venture Partner)	
	(Print Name of Joint Venture Partner)	
	(Title)	
Joint Venturer Name:		(SEAL)
Ву:		
	(Signature of Joint Venture Partner)	
	(Print Name of Joint Venture Partner)	
	(Title)	
Business Address:		

(Each joint venturer must sign. The manner of signing for each individual, partnership and corporation that is a party to the joint venture should be in the manner indicated above).

SECTION 01201

MEASUREMENT AND PAYMENT

PART 1 GENERAL

- 1.1 Administrative Submittals
 - A. CONTRACTOR'S standard form
 - B. Application for Payment
 - C. Final Application for Payment
- 1.2 Applications for Payment
 - A. Transmittal Summary Form: Attach one Summary Form with each detailed Application for Payment. Execute certification by authorized officer of CONTRACTOR.
 - B. Use detailed Application for Payment Form suitable to OWNER.
 - C. Preparation:
 - 1. List each Change Order and Written Amendment executed prior to date of submission as separate line item. Totals to equal those shown on the Transmittal Summary Form.
 - 2. Submit Application for payment, including a Transmittal Summary Form and detailed Application for Payment Form(s), and such supporting data as may be requested by OWNER.
- 1.3 Measurement General
 - A. Weighing, measuring, and metering devices used to measure quantity of materials for Work shall be suitable for purpose intended and conform to tolerances and specifications as specified in National Institute of Standards and Technology, Handbook 44.
 - B. Whenever pay quantities for material are determined by weight, the material shall be weighed on scales furnished by CONTRACTOR and certified accurate by the state agency responsible. A weight or load slip shall be obtained from the weigher and delivered to the OWNER'S representative at the point of delivery of the material.

- C. If material is shipped by rail, the car weights will be accepted provided that actual weight of material only will be paid for and not minimum car weight used for assessing freight tariff, and provided further that car weights will not be acceptable for material to be passed through mixing plants.
- D. Vehicles used to haul material being paid for by weight shall be weighed empty daily and at such additional times as required by OWNER. Each vehicle shall bear a plainly legible identification mark.
- E. All materials which are specified for measurement by the cubic yard measured in the vehicle shall be hauled in vehicles of such type and size that the actual contents may be readily and accurately determined. Unless all vehicles are of uniform capacity, each vehicle must bear a plainly legible identification mark indicating its water level capacity. All vehicles shall be loaded to at least their water level capacity. Loads hauled in vehicles not meeting the above requirements or loads of a quantity less than the capacity of the vehicle, measured after being leveled off as above provided, will be subject to rejection, and no compensation will be allowed for such material.
- F. Quantities will not be based on elevations shown on plans. Field surveys will not be made to conform accuracy of elevations shown. Field measurement made by CONTRACTOR and verified by OWNER will be basis of quantities.
- G. Units of measure shown on the Bid Form shall be as follows unless specified otherwise.

Item	Method of Measurement
AC	Acre—Field Measure by OWNER
CF	Cubic Feet—Field Measure by OWNER within the limits specified or shown
CY	Cubic Yard—Field Measure by OWNER within the limits
	specified or shown. Measurement is for compacted in-place material.
CY-VM	Cubic Yard—Measured in the Vehicle by Volume
EA	Each—Field Count by OWNER
GAL	Gallon—Field Measure by OWNER
HR	Hour—Timed by OWNER
LB	Pound(s)—Weight Measure by Scale or by OWNER-approved
	listed standard weight (see Supplement 01025-01)
LF	Linear Foot—Field Measure by OWNER along center line of
	item The pay quantities for pipe will be on the basis of the
	horizontal length of pipe laid without deductions for valves or
	fittings which are not included in the end-to-end measurement
	of a continuous section of pipe. Where pipe is laid on a

continuous slope greater than 10 percent for a distance greater than 100 feet, payment will be made upon the average slope distance between 100-foot stations. When water mains intersect, the measurement of each main shall be to the end of the connecting fittings.

	the connecting fittings.
LS	Lump Sum—Unit is one; no measurement will be made
SF	Square Foot—Field measure by OWNER
SY	Square Yard—Field measure by OWNER
TON	Ton—Weight Measure by Scale (2.000 pounds)

1.4 PAYMENT

A. General:

- 1. Progress payment will be made monthly.
- 2. The date for CONTRACTOR'S submission of monthly Application for Payment shall be established at the Preconstruction Conference.
- B. Measurement and payment will be on a unit price basis in accordance with the prices set forth in the proposal for individual work items. Where work is required but does not appear as a separate item in the proposal, the cost for that work shall be included and absorbed in the unit prices named in the proposal. CONTRACTOR shall make a careful assessment when preparing the bid.

SCHEDULE A - MCCARROLL ST

ITEM NO.	ITEM DESCRIPTION	UNIT	DESCRIPTION
		(GENERAL
A1	Mobilization, Bonds, Insurance, and Demobilization	LS	 A. When 5% is earned, either 100% of the amount for mobilization or 5% of the original contract amount, whichever is the least B. When all work is completed, amount of mobilization exceeding 5% of the original contract amount This schedule of mobilization progress payments will not limit or preclude progress payments otherwise provided by the contract.
A2	Erosion and Sediment Control	LS	Includes all material, labor, equipment, and incidentals necessary to provide and maintain erosion control facilities in accordance with any required erosion control permits. No Specific unit of measurement will apply to this lump sum item.

ITEM	ITEM	TINITE	DECCRIPTION
NO.	DESCRIPTION	UNIT	DESCRIPTION
A3	Traffic Control	LS	Includes all material, labor, equipment, and incidentals necessary to provide and maintain traffic control in accordance with local agency requirements. No Specific unit of measurement will apply to this lump sum item.
A4	Trench Safety Systems	LS	Includes all material, labor, equipment, and incidentals necessary to provide trench safety for all excavations required. No Specific unit of measurement will apply to this lump sum item.
		_	SEWER
A5	Pavement Marking	LS	Includes all material, labor, equipment, and incidentals necessary to provide Pavement Marking Restoration. No Specific unit of measurement will apply to this lump sum item.
A6	Monument Removal and Replacement	EA	The unit contract price per each for "Monument Removal and Replacement" shall be full payment for all materials, labor, tools and equipment necessary to remove existing monument; furnish and install concrete base, case, cover, agency bronze plug; and for coordination with the Asotin County PUD for survey staking. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at each monument replacement, including Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement shall be per each new monument installed to grade.
A7	Sewer Bypass Systems	LS	The lump sum contract price for "Sewage Bypass Systems" shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item, to include, but not be limited to, all work required to successfully transfer in a leak free manner sewage flows around the construction area, bypass pumping, pipe installation as specified herein, piping and piping connections, plugs, temporary connections (if any), temporary manholes (if any), temporary tees, couplings, and fittings (if any), pumping equipment,

ITEM	ITEM	UNIT	DESCRIPTION
NO.	DESCRIPTION	UNII	DESCRIPTION
A8	4-inch Diam. Sewer Lateral Reconnection, incl. Surface Restoration	EA	stand-by equipment, fuel, operator's labor, removal of all temporary equipment and materials, and dealing with all other interferences, all as shown on the Drawings and as specified herein. No Specific unit of measurement will apply to this lump sum item. The unit price bid per each "4-inch Diam. Sewer Reconnection, incl. Surface Restoration" shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item, to include but not limited to pipe, fittings, reconnecting existing sewers laterals to the proposed sanitary sewer pipe, a tee whose run diameter is the same diameter as the pipe called for on the Drawings, pipe spools, adapters, connectors and flexible couplings as required for a complete installation and dealing with all other interferences, all as shown on the Drawings and as specified herein. This item shall also include lateral pipe installation from the main line to the connection point of the existing sewer lateral and include the work, labor, equipment etc. to make the reconnection within 5 feet of the mainline. If additional footage is required and agreed to by the Asotin County PUD or Engineer it will be paid for under a separate item. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at the Sewer Lateral Reconnection, including work as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item.
			Measurement will be per each. The unit price bid per each "6-inch Diam. Sewer
A9	6-inch Diam. Sewer Lateral Reconnection, incl. Surface Restoration	EA	Reconnection, incl. Surface Restoration" shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item, to include but not limited to pipe, fittings, reconnecting existing sewers laterals to the proposed sanitary sewer pipe, a tee whose run diameter is the same diameter as the pipe called for on the Drawings, pipe spools, adapters, connectors

ITEM	ITEM	****	D-1000-100-100-100-100-100-100-100-100-1
NO.	DESCRIPTION	UNIT	DESCRIPTION
			and flexible couplings as required for a complete installation and dealing with all other interferences, all as shown on the Drawings and as specified herein. This item shall also include lateral pipe installation from the main line to the connection point of the existing sewer lateral and include the work, labor, equipment etc. to make the reconnection within 5 feet of the mainline. If additional footage is required and agreed to by the Asotin County PUD or Engineer it will be paid for under a separate item. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at the Sewer Lateral Reconnection, including work as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement will be per each.
A10	Additional PVC Sewer Lateral Pipe and Fittings, 4-inch Diam., incl. Surface Restoration	LF	The unit contract price per lineal foot for, "PVC Sewer Lateral Pipe and Fittings, 4-inch Diam., Incl. Surface Restoration", shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item to include, but not limited to, furnishing and installing the side sewer pipe and fittings, complete-in-place, locating and testing the existing side sewer pipe and fittings, removal and waste haul of existing abandoned pipe, plugging all ends of abandoned pipe with concrete, excavation, pipe bedding material, backfill with suitable native material, compaction, material testing, furnishing the services of a Asotin County PUD approved testing laboratory to conduct compaction testing, removal and wastehaul of excess or unsuitable excavated material, dewatering, connections to existing and new systems, flushing and cleaning, detectable marking tape, tracer wire, cap, if applicable, markers, low pressure testing, waste hauling, grading, and dealing with all other interference, all as shown on the Drawings and as specified herein. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required for Sewers laterals,

ITEM	ITEM		D. T. G. C. D. T. T. C. T.
NO.	DESCRIPTION	UNIT	DESCRIPTION
			including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement for Additional PVC Side Sewer Pipe and Fittings will be lineal foot along the centerline of the pipe through all fittings from the end of the sewer lateral reconnection to the point of connection to the existing side sewer. Measurements shall be made in the horizontal plane with no allowance for slopes. This item may only be used with permission from Asotin County PUD to provide additional sewer lateral length as may be required for sewer lateral reconnections.
A11	Additional PVC Sewer Lateral Pipe and Fittings, 6-inch Diam., incl. Surface Restoration	LF	The unit contract price per lineal foot for, "PVC Sewer Lateral Pipe and Fittings, 6-inch Diam., Incl. Surface Restoration", shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item to include, but not limited to, furnishing and installing the side sewer pipe and fittings, complete-in-place, locating and testing the existing side sewer pipe and fittings, removal and waste haul of existing abandoned pipe, plugging all ends of abandoned pipe with concrete, excavation, pipe bedding material, backfill with suitable native material, compaction, material testing, furnishing the services of a Asotin County PUD approved testing laboratory to conduct compaction testing, removal and wastehaul of excess or unsuitable excavated material, dewatering, connections to existing and new systems, flushing and cleaning, detectable marking tape, tracer wire, cap, if applicable, markers, low pressure testing, waste hauling, grading, and dealing with all other interference, all as shown on the Drawings and as specified herein. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required for Sewers laterals, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item.

ITEM	ITEM	* 1 * 1 * -	Processor.
NO.	DESCRIPTION	UNIT	DESCRIPTION
			Measurement for Additional PVC Side Sewer Pipe and Fittings will be lineal foot along the centerline of the pipe through all fittings from the end of the sewer lateral reconnection to the point of connection to the existing side sewer. Measurements shall be made in the horizontal plane with no allowance for slopes. This item may only be used with permission from Asotin County PUD to provide additional sewer lateral length as may be required for sewer lateral reconnections.
A12	PVC Sanitary Sewer Pipe 8 in. Diam., for Open Cut, incl. Surface Restoration	LF	The unit contract price per lineal foot for "PVC Sanitary Sewer Pipe, 8 in Diam., for Open Cut, incl. Surface Restoration", shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item to include, but not limited to pipe, fittings, excavation, pipe bedding material, backfill with suitable native material, compaction, material testing, furnishing the services of a Contracting Agency approved testing laboratory to conduct compaction testing, removal and waste haul of excess or unsuitable trench excavation material, dewatering, connections to existing and new systems, flushing and cleaning, detectable marking tape, low pressure testing, deflection testing, waste hauling, grading, and dealing with all other interference, all as shown on the Plans and as specified herein. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required for Sanitary Sewer, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. The length of sewer pipe will be the number of lineal feet of completed installation measured along the invert and will include the length through elbows, tees and fittings. The number of lineal feet will be measured from the center of manhole to center of manhole. Measurements shall be made in the horizontal plane with no allowance for slopes. After reviewing all relevant information per the

ITEM	ITEM	TINITE	DECCRIPTION
NO.	DESCRIPTION	UNIT	
		LF	Drawings and Geotechnical reports, if the Contractor decides to pipe burst, measurement shall be as described in Item A13, and paid under this Bid Item. The unit price bid per lineal foot for "HDPE Sanitary Sewer Pipe, 8 in. Diam. for Pipe Bursting, or PVC Sanitary Sewer Pipe, 8 in. Diam., for Open Cut, incl. Surface Restoration", shall be full payment for all work and materials required to furnish and install the HDPE or PVC pipe and fittings, complete in-place. For Pipe bursting this item shall include, but is not to be limited to, pipe bursting insertion pit, excavation, backfill and compaction, removal and disposal of surplus excavated materials, all HDPE pipe and fittings, cleaning, testing, waste hauling, grading and dealing with all other interferences, all as shown on the Drawings and as specified herein. All costs associated with special excavation for trenchless rehabilitation, including all work, materials and equipment required to excavate, expose and retrieve trenchless rehabilitation equipment, in order to continue the pipe rehabilitation procedure, should any equipment become lodged against an unforeseeable obstacle, shall be included in the various unit prices bid for this work as found in the Proposal. See Description for item A10 for Open Cut Payment Description. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required for Sanitary Sewer, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. The length of sewer pipe will be the number of lineal feet of completed installation measured along the invert and will include the length through
			elbows, tees and fittings. The number of lineal feet will be measured from the center of manhole to center of manhole. Measurements shall be made in the horizontal plane with no allowance for slopes. The unit contract price per each for "Manhole"
A14	Manhole Abandonment	EA	The unit contract price per each for "Manhole Abandonment", shall constitute full compensation

ITEM	ITEM	TINITE	DECCRIPTION
NO.	DESCRIPTION	UNIT	DESCRIPTION
			for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to abandon a manhole, to include, but not be limited to, structure excavation, removing through the cone section of the manhole, backfill with suitable native material and imported gravel, compaction, material testing, furnishing the services of a Contracting Agency approved testing laboratory to conduct compaction testing, nonshrink grout, and waste haul of surplus excavated material and existing manholes parts where called for on the Drawings, grading, and dealing with all other interferences, all as shown on the Drawings and as specified herein. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at the abandoned manhole, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement shall be per each manhole abandoned.
A15	Manhole Removal and Replacement with Standard Manhole, 48 in. Diam.	EA	The unit contract price per each for "Manhole Removal and Replacement with Standard Manhole, 48 in. Diam.", shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to remove and replace a manhole, to include, but not be limited to, structure excavation, removing through the base section of the manhole, waste haul of surplus excavated material and existing manholes parts where called for on the Drawings, frame and cover, concrete adjustment rings, concrete manhole sections, non-shrink grout, manhole adapters, concrete collars, connecting to existing sanitary sewer mains with couplings and pipe spools, compacted bedding material beneath the manhole, backfill with suitable native material and imported material, compaction, material testing, furnishing the services of a Contracting Agency approved testing laboratory to conduct compaction testing, and, dewatering, grading, adjusting to finished grade, and dealing with all other interferences, all as shown on the Drawings and as specified herein.

ITEM	ITEM	TINITE	DECCRIPTION
NO.	DESCRIPTION	UNIT	DESCRIPTION
			Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at new manholes, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement shall be per each manhole removed and replaced.
A16	Connect to Existing Manhole	EA	The unit contract price per each for "Connect to Existing Manhole", shall constitute full compensation for all labor, materials, tools, equipment, supplies, and incidentals required to connect sanitary sewer pipe to existing manholes including but not limited to non-shrink grout, pipe spools, pipe connection fittings and removal and waste haul of materials, as shown on the Drawings and as specified herein. Measurement shall be per each connection to an existing manhole.
A17	Remove Manhole Rungs	EA	The unit contract price per each for "Remove Manhole Rungs", shall constitute full compensation for all labor, materials, tools, equipment, supplies, and incidentals required to remove and dispose of existing manhole rungs or ladder system from one manhole including but not limited to non-shrink grout, and removal and waste haul of materials, as shown on the Drawings and as specified herein. Measurement shall be per each existing manhole having rungs or ladder removed.
A18	Pre-Construction Sewer Television Inspection	LS	The lump sum price bid for "Pre-Construction Sewer Television Inspection", shall be full payment for all work and materials required to furnish and provide Sewer Television Inspection services as shown on the Drawings. No Specific unit of measurement will apply to this lump sum item.
A19	Post-Construction Sewer Television Inspection	LS	The lump sum price bid for "Post-Construction Sewer Television Inspection", shall be full payment for all work and materials required to furnish and provide Sewer Television Inspection services as shown on the Drawings. No Specific unit of measurement will apply to this lump sum item.

SCHEDULE B – LIBBY AND UNIVERSITY ST

ITEM	ITEM	UNIT	DESCRIPTION
NO.	DESCRIPTION	UNII	DESCRIPTION
		(GENERAL
B1	Mobilization, Bonds, Insurance, and Demobilization	LS	 A. When 5% is earned, either 100% of the amount for mobilization or 5% of the original contract amount, whichever is the least B. When all work is completed, amount of mobilization exceeding 5% of the original contract amount This schedule of mobilization progress payments will not limit or preclude progress payments otherwise provided by the contract.
B2	Erosion and Sediment Control	LS	Includes all material, labor, equipment, and incidentals necessary to provide and maintain erosion control facilities in accordance with any required erosion control permits. No Specific unit of measurement will apply to this lump sum item.
В3	Traffic Control	LS	Includes all material, labor, equipment, and incidentals necessary to provide and maintain traffic control in accordance with local agency requirements. No Specific unit of measurement will apply to this lump sum item.
B4	Trench Safety Systems	LS	Includes all material, labor, equipment, and incidentals necessary to provide trench safety for all excavations required. No Specific unit of measurement will apply to this lump sum item.
	1	1	SEWER
В5	Pavement Marking	LS	Includes all material, labor, equipment, and incidentals necessary to provide Pavement Marking Restoration. No Specific unit of measurement will apply to this lump sum item.
В6	Monument Removal and Replacement	EA	The unit contract price per each for "Monument Removal and Replacement" shall be full payment for all materials, labor, tools and equipment necessary to remove existing monument; furnish and install concrete base, case, cover, agency bronze plug; and for coordination with the Asotin County

ITEM	ITEM	HAIT	DESCRIPTION
NO.	DESCRIPTION	UNIT	DESCRIPTION
			PUD for survey staking. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at each monument replacement, including Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement shall be per each new monument installed to grade.
В7	Sewer Bypass Systems	LS	The lump sum contract price for "Sewage Bypass Systems" shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item, to include, but not be limited to, all work required to successfully transfer in a leak free manner sewage flows around the construction area, bypass pumping, pipe installation as specified herein, piping and piping connections, plugs, temporary connections (if any), temporary manholes (if any), temporary tees, couplings, and fittings (if any), pumping equipment, stand-by equipment, fuel, operator's labor, removal of all temporary equipment and materials, and dealing with all other interferences, all as shown on the Drawings and as specified herein. No Specific unit of measurement will apply to this lump sum item.
В8	4-inch Diam. Sewer Lateral Reconnection, incl. Surface Restoration	EA	The unit price bid per each "4-inch Diam. Sewer Reconnection, incl. Surface Restoration" shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item, to include but not limited to pipe, fittings, reconnecting existing sewers laterals to the proposed sanitary sewer pipe, a tee whose run diameter is the same diameter as the pipe called for on the Drawings, pipe spools, adapters, connectors and flexible couplings as required for a complete installation and dealing with all other interferences, all as shown on the Drawings and as specified herein. This item shall also include lateral pipe installation from the main line to the connection point of the existing sewer lateral and include the work, labor, equipment etc. to make the

ITEM	ITEM	TINITE	DESCRIPTION
NO.	DESCRIPTION	UNIT	DESCRIPTION
			reconnection within 5 feet of the mainline. If additional footage is required and agreed to by the Asotin County PUD or Engineer it will be paid for under a separate item. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at the Sewer Lateral Reconnection, including work as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement will be per each 4-inch Diam. lateral reconnected.
В9	Additional PVC Sewer Lateral Pipe and Fittings, 4-inch Diam., incl. Surface Restoration	LF	The unit contract price per lineal foot for, "PVC Sewer Lateral Pipe and Fittings, 4-inch Diam., Incl. Surface Restoration", shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item to include, but not limited to, furnishing and installing the side sewer pipe and fittings, complete-in-place, locating and testing the existing side sewer pipe and fittings, removal and waste haul of existing abandoned pipe, plugging all ends of abandoned pipe with concrete, excavation, pipe bedding material, backfill with suitable native material, compaction, material testing, furnishing the services of a Asotin County PUD approved testing laboratory to conduct compaction testing, removal and wastehaul of excess or unsuitable excavated material, dewatering, connections to existing and new systems, flushing and cleaning, detectable marking tape, tracer wire, cap, if applicable, markers, low pressure testing, waste hauling, grading, and dealing with all other interference, all as shown on the Drawings and as specified herein. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required for Sewers laterals, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement for Additional PVC Side Sewer Pipe and Fittings will be lineal foot along the centerline of the pipe through all fittings from the end of the

ITEM	ITEM		
NO.	DESCRIPTION	UNIT	DESCRIPTION
			sewer lateral reconnection to the point of connection to the existing side sewer. Measurements shall be made in the horizontal plane with no allowance for slopes. This item may only be used with permission from Asotin County PUD to provide additional sewer lateral length as may be required for sewer lateral reconnections. The unit contract price per lineal foot for "PVC
B10	PVC Sanitary Sewer Pipe 8 in. Diam., for Open Cut, incl. Surface Restoration	LF	Sanitary Sewer Pipe, 8 in Diam., for Open Cut, incl. Surface Restoration", shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item to include, but not limited to pipe, fittings, excavation, pipe bedding material, backfill with suitable native material, compaction, material testing, furnishing the services of a Contracting Agency approved testing laboratory to conduct compaction testing, removal and waste haul of excess or unsuitable trench excavation material, dewatering, connections to existing and new systems, flushing and cleaning, detectable marking tape, low pressure testing, deflection testing, waste hauling, grading, and dealing with all other interference, all as shown on the Plans and as specified herein. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required for Sanitary Sewer, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. The length of sewer pipe will be the number of lineal feet of completed installation measured along the invert and will include the length through elbows, tees and fittings. The number of lineal feet will be measured from the center of manhole to center of manhole. Measurements shall be made in the horizontal plane with no allowance for slopes. After reviewing all relevant information per the Drawings and Geotechnical reports, if the Contractor decides to pipe burst, measurement shall be as described in Item B11, and paid under this Bid

ITEM NO	ITEM DESCRIPTION	UNIT	DESCRIPTION
ITEM NO.	HDPE Sanitary Sewer Pipe 8 in. Diam., for Pipe Bursting or PVC	LF	Item. The unit price bid per lineal foot for "HDPE Sanitary Sewer Pipe, 8 in. Diam. for Pipe Bursting, or PVC Sanitary Sewer Pipe, 8 in. Diam., for Open Cut, incl. Surface Restoration", shall be full payment for all work and materials required to furnish and install the HDPE or PVC pipe and fittings, complete in-place. For Pipe bursting this item shall include, but is not to be limited to, pipe bursting insertion pit, excavation, backfill and compaction, removal and disposal of surplus excavated materials, all HDPE pipe and fittings, cleaning, testing, waste hauling, grading and dealing with all other interferences, all as shown on the Drawings and as specified herein. All costs associated with special excavation for trenchless rehabilitation, including all work, materials and equipment required to excavate, expose and retrieve trenchless rehabilitation
BII	Sanitary Sewer Pipe 8 in. Diam., for Open Cut, incl. Surface Restoration	LF	equipment, in order to continue the pipe rehabilitation procedure, should any equipment become lodged against an unforeseeable obstacle, shall be included in the various unit prices bid for this work as found in the Proposal. See Description for item A10 for Open Cut Payment Description. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required for Sanitary Sewer, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. The length of sewer pipe will be the number of lineal feet of completed installation measured along the invert and will include the length through elbows, tees and fittings. The number of lineal feet will be measured from the center of manhole to center of manhole. Measurements shall be made in the horizontal plane with no allowance for slopes.
B12	Manhole Abandonment	EA	The unit contract price per each for "Manhole Abandonment", shall constitute full compensation for all labor, materials, tools, equipment,

ITEM	ITEM	HINIT	DESCRIPTION
NO.	DESCRIPTION	UNIT	DESCRIPTION
			transportation, supplies, and incidentals required to complete all work to abandon a manhole, to include, but not be limited to, structure excavation, removing through the cone section of the manhole, backfill with suitable native material and imported gravel, compaction, material testing, furnishing the services of a Contracting Agency approved testing laboratory to conduct compaction testing, nonshrink grout, and waste haul of surplus excavated material and existing manholes parts where called for on the Drawings, grading, and dealing with all other interferences, all as shown on the Drawings and as specified herein. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at the abandoned manhole, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement shall be per each manhole abandoned.
B13	Manhole Removal and Replacement with Standard Manhole, 48 in. Diam.	EA	The unit contract price per each for "Manhole Removal and Replacement with Standard Manhole, 48 in. Diam.", shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to remove and replace a manhole, to include, but not be limited to, structure excavation, removing through the base section of the manhole, waste haul of surplus excavated material and existing manholes parts where called for on the Drawings, frame and cover, concrete adjustment rings, concrete manhole sections, non-shrink grout, manhole adapters, concrete collars, connecting to existing sanitary sewer mains with couplings and pipe spools, compacted bedding material beneath the manhole, backfill with suitable native material and imported material, compaction, material testing, furnishing the services of a Contracting Agency approved testing laboratory to conduct compaction testing, and, dewatering, grading, adjusting to finished grade, and dealing with all other interferences, all as shown on the Drawings and as specified herein.

ITEM	ITEM		
NO.	DESCRIPTION	UNIT	DESCRIPTION
			Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at new manholes, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement shall be per each manhole removed and replaced.
B14	Cleanout Removal and Replacement with Standard Manhole, 48 in. Diam.	EA	The unit contract price per each for "Cleanout Removal and Replacement with Standard Manhole, 48 in. Diam.", shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to remove and replace a manhole, to include, but not be limited to, structure excavation, removing cleanout, waste haul of surplus excavated material and existing cleanout parts where called for on the Drawings, frame and cover, concrete adjustment rings, concrete manhole sections, non-shrink grout, manhole adapters, concrete collars, connecting to existing sanitary sewer mains with couplings and pipe spools, compacted bedding material beneath the manhole, backfill with suitable native material and imported material, compaction, material testing, furnishing the services of a Contracting Agency approved testing laboratory to conduct compaction testing, and, dewatering, grading, adjusting to finished grade, and dealing with all other interferences, all as shown on the Drawings and as specified herein. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at new manholes, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item.
			Measurement shall be per each cleanout removed and replaced with standard manhole.
B15	Connect to Existing Manhole	EA	The unit contract price per each for "Connect to Existing Manhole", shall constitute full compensation for all labor, materials, tools, equipment, supplies, and incidentals required to connect sanitary sewer pipe to existing manholes including but not limited to non-shrink grout, pipe

ITEM NO.	ITEM DESCRIPTION	UNIT	DESCRIPTION
	DESCRIPTION		spools, pipe connection fittings and removal and waste haul of materials, as shown on the Drawings and as specified herein. Measurement shall be per each connection to an existing manhole.
B16	Remove Manhole Rungs	EA	The unit contract price per each for "Remove Manhole Rungs", shall constitute full compensation for all labor, materials, tools, equipment, supplies, and incidentals required to remove and dispose of existing manhole rungs or ladder system from one manhole including but not limited to non-shrink grout, and removal and waste haul of materials, as shown on the Drawings and as specified herein. Measurement shall be per each existing manhole having rungs or ladder removed.
B17	Pre-Construction Sewer Television Inspection	LS	The lump sum price bid for "Pre-Construction Sewer Television Inspection", shall be full payment for all work and materials required to furnish and provide Sewer Television Inspection services as shown on the Drawings. No Specific unit of measurement will apply to this lump sum item.
B18	Post-Construction Sewer Television Inspection	LS	The lump sum price bid for "Post-Construction Sewer Television Inspection", shall be full payment for all work and materials required to furnish and provide Sewer Television Inspection services as shown on the Drawings. No Specific unit of measurement will apply to this lump sum item.

SCHEDULE C - 5TH ST AND 6TH ST ALLEY

ITEM NO.	ITEM DESCRIPTION	UNIT	DESCRIPTION
		(GENERAL
C1	Mobilization, Bonds, Insurance, and Demobilization	LS	 A. When 5% is earned, either 100% of the amount for mobilization or 5% of the original contract amount, whichever is the least B. When all work is completed, amount of mobilization exceeding 5% of the original contract amount This schedule of mobilization progress payments

ITEM NO.	ITEM DESCRIPTION	UNIT	DESCRIPTION
			will not limit or preclude progress payments otherwise provided by the contract.
C2	Erosion and Sediment Control	LS	Includes all material, labor, equipment, and incidentals necessary to provide and maintain erosion control facilities in accordance with any required erosion control permits. No Specific unit of measurement will apply to this lump sum item.
С3	Traffic Control	LS	Includes all material, labor, equipment, and incidentals necessary to provide and maintain traffic control in accordance with local agency requirements. No Specific unit of measurement will apply to this lump sum item.
C4	Trench Safety Systems	LS	Includes all material, labor, equipment, and incidentals necessary to provide trench safety for all excavations required. No Specific unit of measurement will apply to this lump sum item.
	,	•	SEWER
C5	Sewer Bypass Systems	LS	Includes all material, labor, equipment, and incidentals necessary to provide and maintain erosion control facilities in accordance with any required erosion control permits. No Specific unit of measurement will apply to this lump sum item.
C6	CIPP Sewer Rehabilitation, 8 In. Diam.	LF	The unit price bid per lineal foot for "CIPP Sewer Rehabilitation, 8 in. Diam.", shall include all material, labor, equipment, and incidentals necessary to provide CIPP rehabilitation, including, but not limited to, Engineering design of the liner; field verification of lengths and sizes of existing sanitary sewer pipe; cleaning the existing sanitary sewer pipe including removal of all roots and deposits, accumulations or protrusions that would interfere with the proper installation of the CIPP liner; installation of the liner, liner, resin, catalyst, and curing systems as required to the limits shown or specified. Measured and paid for on a lineal foot basis. Measurement to be by actual field measurement of lineal feet of Cured-In-Place-Pipe (CIPP) liner

ITEM NO.	ITEM DESCRIPTION	UNIT	DESCRIPTION
			installed to the nearest foot, for sizes indicated in the Bid Schedule. Unless indicated otherwise, measurement to be along the existing pipe from center to center of manholes, catch basins or other structures.
C7	CIPP Lateral Reinstatement	EA	The unit price bid per each "CIPP Lateral Reinstatement" shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to furnish and install this item as required for a complete installation and dealing with all other interferences, all as shown on the Drawings and as specified herein. Measurement shall be per each lateral reinstated.
C8	Manhole Abandonment	EA	The unit contract price per each for "Manhole Abandonment", shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to abandon a manhole, to include, but not be limited to, structure excavation, removing through the cone section of the manhole, backfill with suitable native material and imported gravel, compaction, material testing, furnishing the services of a Contracting Agency approved testing laboratory to conduct compaction testing, non-shrink grout, and waste haul of surplus excavated material and existing manholes parts where called for on the Drawings, grading, and dealing with all other interferences, all as shown on the Drawings and as specified herein. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at the abandoned manhole, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement shall be per each manhole abandoned.
С9	Manhole Removal and Replacement with Standard Manhole, 48 in. Diam.	EA	The unit contract price per each for "Manhole Removal and Replacement with Standard Manhole, 48 in. Diam.", shall constitute full compensation for all labor, materials, tools, equipment, transportation, supplies, and incidentals required to complete all work to remove and replace a manhole, to include,

ITEM NO.	ITEM DESCRIPTION	UNIT	DESCRIPTION
NO.	DESCRIPTION		but not be limited to, structure excavation, removing through the base section of the manhole, waste haul of surplus excavated material and existing manholes parts where called for on the Drawings, frame and cover, concrete adjustment rings, concrete manhole sections, non-shrink grout, manhole adapters, concrete collars, connecting to existing sanitary sewer mains with couplings and pipe spools, compacted bedding material beneath the manhole, backfill with suitable native material and imported material, compaction, material testing, furnishing the services of a Contracting Agency approved testing laboratory to conduct compaction testing, and, dewatering, grading, adjusting to finished grade, and dealing with all other interferences, all as shown on the Drawings and as specified herein. Asphalt Concrete Surface Restoration – Type B (City of Clarkston) required to restore the surface at new manholes, including Sawcutting, Crushed Rock as shown on the Asotin County PUD Standard Detail 1-4B, shall be incidental to this bid item. Measurement shall be per each manhole removed and replaced.
C10	Connect to Existing Manhole	EA	The unit contract price per each for "Connect to Existing Manhole", shall constitute full compensation for all labor, materials, tools, equipment, supplies, and incidentals required to connect CIPP rehabilitated sanitary sewer to existing manholes including but not limited to non-shrink grout, seals, and removal and waste haul of materials, as shown on the Drawings and as specified herein. Measurement shall be per each connection to an existing manhole.
C11	Remove Manhole Rungs	EA	The unit contract price per each for "Remove Manhole Rungs", shall constitute full compensation for all labor, materials, tools, equipment, supplies, and incidentals required to remove and dispose of existing manhole rungs or ladder system from one manhole including but not limited to non-shrink grout, and removal and waste haul of materials, as shown on the Drawings and as specified herein.

ITEM NO.	ITEM DESCRIPTION	UNIT	DESCRIPTION
			Measurement shall be per each existing manhole
			having rungs or ladder removed.
			The lump sum price bid for "Pre-Construction
			Sewer Television Inspection", shall be full payment
	Pre-Construction		for all work and materials required to furnish and
C12	Sewer Television	LS	provide Sewer Television Inspection services as
	Inspection		shown on the Drawings.
			No Specific unit of measurement will apply to this
			lump sum item.
			The lump sum price bid for "Post-Construction
			Sewer Television Inspection", shall be full payment
	Post-Construction		for all work and materials required to furnish and
C13	Sewer Television	LS	provide Sewer Television Inspection services as
	Inspection		shown on the Drawings.
			No Specific unit of measurement will apply to this
			lump sum item.

END OF SECTION

Pre-Bid Meeting

A PRE-BID MEETING for this project will be held at the Asotin County Public Utility District Office at 1500 Scenic Way, Clarkston, Washington on the 4th of January 2024 at 10 AM, local time. to provide prospective BIDDERS with the opportunity to ask questions relating to bidding or constructing the work under this contract. BIDDERS will be given the option to attend the pre-bid meeting virtually. Prospective BIDDERS who plan to attend the pre-bid meeting virtually shall notify Craig Riehle via email at criehle@asotinpud.org by the 2nd of January 2024. If deemed appropriate by the OWNER, questions that cannot be addressed by direct reference to the bidding documents will be the subject of an addendum issued to all plan holders.

All prospective BIDDERS are encouraged to attend but attendance is not mandatory.

W221198WA.04 Invitation to Bid 00050 - 2